

Product Identifier: Ionic™ Cells to Pure Low Input DNA Replacement Kit Catalog ID number: 33007

SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Contact information	
General	Purigen Biosystems, Inc. 5700 Stoneridge Dr., Pleasanton, CA 94588 (925) 264-1364 E-mail: <u>info@purigenbio.com</u>
Emergency numbers	Phone: (925) 264-1364 Fax: (925) 264-1364
Product identifier	Cells to Pure DNA Low Input Replacement Kit
Synonyms	None identified
Trade names	None identified
Chemical family	Components (Mixture components only): Extraction Buffer Anodic Buffer Separation Buffer Neutralization Buffer Cathodic Buffer Lysis 1 Lysis 2 Proteinase K RNase Fluidic Chips
Relevant identified uses of the substance or mixture and uses advised against	For research use only. Not for use of diagnostic procedures.
Note	This SDS is written to address potential health and safety issues associated with the handling of the formulated product.
Issue Date	27 SEPT 2021



Product Identifier: Ionic[™] Cells to Pure Low Input DNA Replacement Kit Catalog ID number: 33007

IFICATION
Mixtures - Not classified
All components are NOT hazardous according to the OSHA Hazard Communicat Standard (29 CFR 1910. 1200).
All Components: None
All Components: None
None
None of the mixtures are classified as hazardous according to Regulation EC No 1272/ 2008 (EU CLP) and Hazard Communication Standard No. 1910.1200 (US OSHA). The pharmacological, toxicological and ecological properties of all mixtures in this kit have not been fully characterized.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

The following pertains to Neutralization Buffer, Cathodic Buffer, Separation Buffer and Anodic Buffer:

Ingredient	<u>Formula</u>	<u>CAS #</u>	<u>EINECS/</u> ELINCS#	<u>Amount</u>	Classification
2-Amino-2-(hydroxymethyl)-1,3- propanediol (Trizma Base)	$C_4H_{11}NO_3$	77-86-1		<2% - 20%	None

Note

The ingredients listed above are considered hazardous and/or are present at reportable values. The remaining components are non-hazardous and/or present at amounts below reportable limits. See Section 16 for full text of GHS classifications.



Product Identifier: Ionic[™] Cells to Pure Low Input DNA Replacement Kit Catalog ID number: 33007

SECTION 4 - FIRST AID M	EAJUKEJ
Description of first aid measures	PERTAINS TO ALL COMPONENTS
Immediate Medical Attention Needed	Consult a physician. Present this safety data sheet to the doctor in attendance.
Eye Contact	If easy to do, remove contact lenses, if worn. Immediately flush eyes with copious quantities of water for at least 15 minutes. If irritation occurs or persists, notify medical personnel and supervisor.
Skin Contact	Wash exposed area with soap and water and remove contaminated clothing/shoes. If irritation occurs or persists, notify medical personnel and supervisor.
Inhalation	Immediately move exposed subject to fresh air. If not breathing, give artificial respiration. If breathing is labored, administer oxygen. Immediately notify medical personnel and supervisor.
Ingestion	Do NOT induce vomiting. Do not give anything to drink unless directed by medical personnel. Never give anything by mouth to an unconscious person. Notify medical personnel and supervisor.
Protection of first aid responders	See Section 8 for Exposure Controls/Personal Protection recommendations.
Most important symptoms and effects, both acute an delayed	
Indication of immediate medical attention and special treatment needed,	No data available.

SECTION 5 - FIREFIGHTING MEASURES

if necessary

PERTAINS TO ALL COMPONENTSExtinguishing mediaUse water spray (fog), alcohol resistant foam, dry powder, or carbon dioxide, as appropriate for surrounding fire and materials.Specific hazards arising from the substance or mixtureAll components: No data available.Flammability/ExplosivityNone.Advice for firefightersIf necessary, wear full protective clothing and a self-contained breathing apparatus with a full face-piece operated in the pressure demand or other positive pressure mode. Decontaminate all equipment after use.



Product Identifier: Ionic[™] Cells to Pure Low Input DNA Replacement Kit Catalog ID number: 33007

SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERTAINS TO ALL COMPONENTS

Personal precautions, protective equipment and emergency procedures	If product is released or spilled, take proper precautions to minimize exposure by using appropriate personal protective equipment (see Section 8). Area should be adequately ventilated. Do not breathe mist/vapors/spray. Wear respiratory protection.
Environmental precautions	Do not empty into drains. Avoid release to the environment.
Methods and material for containment and cleaning up	If vials are crushed or broken, do not cause material to become air borne. For small spills, soak up material with absorbent, e.g., paper towels. For large spills, cordon off spill area and minimize the spreading of spilled material. Soak up material with absorbent. Collect spilled material, absorbent, and rinse water into suitable containers for proper disposal in accordance with applicable waste disposal regulations (see Section 13). Decontaminate the area.

Reference to other sections See Sections 8 and 13 for more information.

SECTION 7 - HANDLING AND STORAGE

PERTAINS TO ALL COMPONENTS:

Precautions for safe handling	Avoid contact with skin and eyes. Avoid formation of aerosols. Potential for combustible dust formation should be taken into consideration before additional processing occurs.
Conditions for safe storage including any incompatibilities	Store in tightly closed containers that are appropriately labeled and at the temperatures indicated on the label for each of the components.
Specific end use(s)	No information identified.
SECTION 8 - EXPOSURE CO	NTROLS/PERSONAL PROTECTION
Note	Dispose of broken vials/syringes in a sharps container.
Control Parameters/ Occupational Exposure Limit Values	No components contain materials with occupational exposure limits.
Exposure/Engineering controls	If handling bulk product or vials are opened/crushed/broken: Selection and use of containment devices and personal protective equipment should be based on a risk assessment of exposure potential. Use local exhaust and/or enclosure at aerosol/ mist-generating points.
Respiratory protection	Respiratory protection is not required. For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Hand protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.



Product Identifier: Ionic[™] Cells to Pure Low Input DNA Replacement Kit Catalog ID number: 33007

Skin protection	Wear appropriate gloves, lab coat, or other protective overgarment if skin contact is likely. Base the choice of skin protection on the job activity, potential for skin contact and reagents in use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.
Eye/face protection	Wear safety glasses with side shields, chemical splash goggles, or full face shield, if necessary. Base the choice of protection on the job activity and potential for contact with eyes or face. An emergency eye wash station should be available.
Environmental Exposure Controls	Avoid release to the environment and operate within closed systems wherever practicable. In case of spill, do not release to drains. Implement appropriate and effective emergency response procedures to prevent release or spread of contamination and to prevent inadvertent contact by personnel.
Other protective measures	Wash hands in the event of contact with this product/mixture, especially before eating, drinking or smoking. Protective equipment is not to be worn outside the work area (e.g., in common areas or out-of-doors).

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	All Components: Clear, colorless
Color Odor	See appearance Lysis 1: Unpleasant All Other Components: Odorless
Odor threshold	All components: No information identified.
рН	Extraction Buffer: 8.0 Anodic Buffer: 8.8 Separation Buffer: 8.0 Neutralization Buffer: 8.6 Cathodic Buffer: 7.8 Lysis 1: 11.5 Lysis 2: 1.7 Proteinase K: Not Identified RNase: Not Identified
Melting point/freezing point	All components: No information identified.
Initial boiling point and boiling range	All components: No information identified.
Flash point	All components: No information identified.
Evaporation rate	All components: No information identified.
Flammability (solid, gas)	All components: No information identified.
Upper/lower flammability or explosive limits Purigen Cells to Pure DNA LI Repl PUR-DOC-17 V4 Revision date 27SEPT2021	All components: No information identified.



Product Identifier: Ionic[™] Cells to Pure Low Input DNA Replacement Kit Catalog ID number: 33007

Vapor pressure	All components:	No information identified.
Vapor density	All components:	No information identified.
Relative density	All components:	No information identified.
Water solubility	All components:	No information identified.
Solvent solubility	All components:	No information identified.
Partition coefficient (<i>n-</i> octanol/water)	All components:	No information identified.
Auto-ignition temperature	All components:	No information identified.
Decomposition temperature	All components:	No information identified.
Viscosity	All components:	No information identified.
Explosive properties	All Components:	Not classified as explosive.
Oxidizing properties	All components:	Not classified as oxidizing.
Other information		

Molecular weight	All components:	Not applicable (Mixtures)
Molecular formula	All components:	Not applicable (Mixtures)

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	All components:	No information identified.
Chemical stability	All components:	Stable under recommended storage conditions.
Possibility of hazardous reactions	All components:	No information identified.
Conditions to avoid	All components:	No information identified.
Incompatible materials	All components:	No information identified.
Hazardous decomposition products	All components:	No information identified.

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on toxicological effects		
Route of entry	All components:	No information identified.
Acute toxicity	All components:	No information identified.
Irritation/Corrosion	All components:	No information identified.
Sensitization	All components:	No information identified.



Product Identifier: Ionic™ Cells to Pure Low Input DNA Replacement Kit Catalog ID number: 33007

STOT-single exposure	All components: No information identified.				
STOT-repeated exposure/Repeat-dose toxicity	All components: No information identified.				
Reproductive toxicity	All components: No information identified.				
Developmental toxicity	All components: No information identified.				
Genotoxicity	All components: No information identified.				
Carcinogenicity	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC.				
	ACGIH: No component of this product present at levels greater than or equal 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC.				
	NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC.				
	OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC.				
Aspiration hazard	All components: No information identified.				
Human health data	All components: No information identified.				
	See Section 2 - "Other hazards" To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.				

SECTION 12 - ECOLOGICAL INFORMATION

Toxicity	All components: No information identified.		
Additional toxicity information	All components: No information identified.		
Persistence and Degradability	All components: No information identified.		
Bioaccumulative potential	All components: No information identified.		
Mobility in soil	All components: No information identified.		
Results of PBT and vPvB assessment	All components: Not available as chemical safety assessment not required/not conducted.		
Other adverse effects	All components: No information identified.		
Note	The environmental characteristics of this product/mixtures have not been fully investigated. The above data are for the active ingredient and/or any other ingredient(s) where applicable. Releases to the environment should be avoided.		

SECTION 13 - DISPOSAL CONSIDERATIONS



Product Identifier: Ionic[™] Cells to Pure Low Input DNA Replacement Kit Catalog ID number: 33007

Waste treatment methods	All components: Dispose of wastes in accordance to prescribed federal, state,
	and local guidelines, e.g., appropriately permitted chemical waste incinerator.
	Do not send down the drain or flush down the toilet. Offer surplus and non-
	recyclable solutions to a licensed disposal company.

SECTION 14 - TRANSPORT INFORMATION

Transport	DOT: All components: Not dangerous goods.
	IMDG: All components: Not dangerous goods.
	IATA: All components: Not dangerous goods.
Environmental hazards	All components: Based on the available data, this mixture is not regulated as an environmental hazard or a marine pollutant.
Special precautions for users	All components: No special precautions needed. Avoid release to the environment.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	All components: Not applicable.

SECTION 15 - REGULATORY 1	NFORMATION
Safety, health and environmental regulations/legislation specific for the substance or mixture	This SDS complies with the requirements under US, EU and GHS (EU CLP - Regulation EC No 1272/2008) guidelines. Consult your local/regional authorities for more information.
Chemical safety assessment	Not conducted.
WHMIS classification	Not classified.
TSCA status	Not listed
SARA section 313	All Components: Not listed
	These materials do not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California proposition 65	All components: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.
Massachusetts Right To Know Components	All components: No components are subject to the Massachusetts Right to Know Act.



Product Identifier: Ionic[™] Cells to Pure Low Input DNA Replacement Kit Catalog ID number: 33007

Pennsylvania Right To Know Components	Cathodic Buffer: (Contains Pluronic F108)	CAS-No 9003-11-6
	Neutralization Buffer, Cathodic Buffer, Separation Buffer, Anodic Buffer (Contain Trizma Base)	CAS-No 77-86-1
	All Other Components	No components are subject to the Pennsylvania Right to Know Act.
New Jersey Right To Know Components	Cathodic Buffer: Component Pluronic F108	CAS-No 9003-11-6
	Neutralization Buffer, Cathodic Buffer, Separation Buffer, Anodic Buffer Component Trizma Base	CAS-No 77-86-1
	All Other Components	No components are subject to the Pennsylvania
		Right to Know Act.
Component Analysis – State	Not Listed.	
Component Analysis – Chemical Inventory	Not Listed.	
Additional information	No other information identified.	

SECTION 16 - OTHER INFORMATION

NFPA Ratings	All Components	Health: 0 Fire: 0	Reactivity: 0	
HMIS Ratings	All Components	Health: 0 Chronic: 0	Flammability: 0	Physical: 0
Full text of H phrases and GHS classifications	Full text of H-Statements referred to under sections 2 and 3.			
Sources of data	Information from published literature and internal company data.			



Product Identifier: Ionic[™] Cells to Pure Low Input DNA Replacement Kit Catalog ID number: 33007

Abbreviations ACGIH - American Conference of Governmental Industrial Hygienists; ADR/RID -European Agreement Concerning the International Carriage of Dangerous Goods by Road/Rail; AIHA - American Industrial Hygiene Association; CA - California; CAS# - Chemical Abstract Services Number; CLP - Classification, Labelling, and Packaging of Substances and Mixtures; DNEL - Derived No Effect Level; DOT -Department of Transportation; EINECS - European Inventory of New and Existing Chemical Substances; ELINCS - European List of Notified Chemical Substances; EU - European Union; GHS - Globally Harmonized System of Classification and Labeling of Chemicals; HI - Hawaii; IARC - International Agency for Research on Cancer; IDLH - Immediately Dangerous to Life or Health; IATA - International Air Transport Association; IMDG - International Maritime Dangerous Goods; LOEL -Lowest Observed Effect Level; LOAEL - Lowest Observed Adverse Effect Level; MA - Massachusetts; MN - Minnesota; NJ - New Jersey; NIOSH - The National Institute for Occupational Safety and Health; NOEL - No Observed Effect Level; NOAEL - No Observed Adverse Effect Level; NTP - National Toxicology Program; OEL - Occupational Exposure Limit; OSHA - Occupational Safety and Health Administration: PA - Pennsylvania: PNEC - Predicted No Effect Concentration: RI - Rhode Island; SARA - Superfund Amendments and Reauthorization Act; STEL -Short Term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA -Toxic Substances Control Act; TWA - Time Weighted Average; VT - Vermont; WA - Washington; WHMIS - Workplace Hazardous Materials Information System Disclaimer The statements contained herein are offered for informational purposes only and are based upon technical data. Purigen Biosystems, Inc. believes them to be

are based upon technical data. Purigen Biosystems, Inc. believes them to be accurate at the date of publication, but does not purport to be all-inclusive. The above-stated product is intended for use only by persons having the necessary technical skills and facilities for handling the product at their discretion and risk. Since conditions and manner of use are outside our control, we (Purigen Biosystems, Inc.) make no warranty of merchantability or any such warranty, express or implied with respect to information and we assume no liability resulting from the above product or its use. Users should perform their own investigations to determine suitability of information and product for their particular purposes.